Parental perspectives on negotiations over diet and physical activity: how do we involve parents in adolescent health interventions?

Shaw, Sarah; Simao, Sara Correia; Jenner, Sarah; Lawrence, Wendy T.; Woods-Townsend, Kathryn; Vogel, Christina A.; Farrell, David; Inskip, Hazel; Baird, Janice; Morrison, Leanne; Barker, Mary; Strömmer, Sofia T.; EACH-B Study Group

Published in:
Public Health Nutrition

DOI:
[10.1017/S1368980021000458](https://doi.org/10.1017/S1368980021000458)

Publication date:
2021

Document Version
Author accepted manuscript

[Link to publication in ResearchOnline](#)

Citation for published version (Harvard):

Shaw, S, Simao, SC, Jenner, S, Lawrence, WT, Woods-Townsend, K, Vogel, CA, Farrell, D, Inskip, H, Baird, J, Morrison, L, Barker, M, Strömmer, ST & EACH-B Study Group 2021, 'Parental perspectives on negotiations over diet and physical activity: how do we involve parents in adolescent health interventions?', *Public Health Nutrition*, vol. 24, no. 9, pp. 2727–2736. <https://doi.org/10.1017/S1368980021000458>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please view our takedown policy at <https://edshare.gcu.ac.uk/id/eprint/5179> for details of how to contact us.

Parental perspectives on negotiations over diet and physical activity: how do we involve parents in adolescent health interventions?

Shaw, S^{1,2}, Correia Simao, S^{1,2}, Jenner, S¹, Lawrence, WT^{1,2}, Woods-Townsend, K^{2,3}, Vogel, CA^{1,2}, Farrell, D^{2,4}, Inskip, H^{1,2}, Baird, J^{1,2}, Morrison, L^{5,6}, Barker, M^{1,2}, Strömmer, ST^{1,2} and the EACH-B study group.

¹MRC Lifecourse Epidemiology Unit, University of Southampton, Southampton General Hospital, Southampton, UK

²NIHR Southampton Biomedical Research Centre, University of Southampton and University Hospital Southampton NHS Foundation Trust, Southampton, UK

³Southampton Education School, Faculty of Social Sciences, University of Southampton, Southampton, UK

⁴School of Computing, Engineering and Built Environment, Glasgow Caledonian University, Glasgow, UK

⁵Centre for Clinical and Community Applications of Health Psychology, Southampton, UK

⁶Primary Care and Population Sciences, Southampton, UK

Corresponding author: Sarah Shaw, MRC Lifecourse Epidemiology Unit, University of Southampton, Southampton General Hospital, Southampton SO16 6YD.

Tel: +44 (0)2380 7640 43

Email: ss@mrc.soton.ac.uk

Short title: Parents and adolescent health interventions

Acknowledgements: In addition to the named authors, the EACH-B study group consists of Millie Barrett, Lyall Campbell, Ross Anderson, Patsy Coakley, Judit Varkonyi-Sepp, Donna

Lovelock, Lisa Bagust. We thank Daniella Watson for her assistance with conducting the interviews.

Financial Support: This paper presents independent research from EACH-B funded by the National Institute for Health Research (NIHR) under its Programme Grants for Applied Research Programme (Reference Number RP-PG-0216-20004). This research and the authors of this paper are also supported by the following funding sources UK Medical Research Council (MC_UU_12011/4); National Institute for Health Research Southampton Biomedical Research Centre; Wessex Heartbeat and Public Health England. The views expressed in this publication are those of the author(s) and not necessarily those of the National Health Service, the National Institute for Health Research, the UK Department of Health and Social Care.

Conflict of Interest: CV has a non-financial research relationship with a food retail company and maintains independence in all evaluation activities. This article, however, is not related to this relationship. All other authors have no conflicts of interest to declare.

Authorship: MEB and HMI formulated the research questions. MEB, STS and KWT designed the research study, with inputs from HMI, JB, WTL, CV and DF. SS, STS, SJ conducted the qualitative interviews. The thematic analysis was conducted by SS, SCS, SJ and STS with guidance from WTL, LM, MEB. All authors played a role in interpreting the results and all approved the final manuscript. This work was conducted as part of the EACH-B study.

Ethical Standards Disclosure: This study was conducted according to the guidelines laid down in the Declaration of Helsinki and all procedures involving research study participants were approved by the University of Southampton Faculty of Medicine Ethics Committee [Ethics Number: 30054]. Written informed consent was obtained from all participants

Abstract

Objective: To identify the ways in which parental involvement can be incorporated into interventions to support adolescent health behaviour change.

Design: Data from semi-structured interviews were analysed using inductive thematic analysis.

Setting: Southampton, Hampshire, UK.

Participants: A convenience sample of 24 parents of adolescents.

Results: Parents consider themselves to play an important role in supporting their adolescents to make healthy choices. Parents saw themselves as gatekeepers of the household and as role models to their adolescents but recognised this could be both positive and negative in terms of health behaviours. Parents described the changing dynamics of the relationships they have with their adolescents because of increased adolescent autonomy. Parents stated that these changes altered their level of influence over adolescents' health behaviours. Parents considered it important to promote independence in their adolescents, however, many described this as challenging because they believed their adolescents were likely to make unhealthy decisions if not given guidance. Parents reported difficulty in supporting adolescents in a way that wasn't viewed as forceful or pressuring.

Conclusions: When designing adolescent health interventions that include parental components, researchers need to be aware of the disconnect between public health recommendations and the everyday reality for adolescents and their parents. Parental involvement in adolescent interventions could be helpful but needs to be done in a manner that is acceptable to both adolescents and parents. The findings of this study may be useful to inform interventions which need to consider the transitions and negotiations which are common in homes containing adolescents.

Keywords:

Adolescent; Health behaviours; Parents; Qualitative methods.

Introduction

Adolescence is a period often characterised by poor health behaviours including high intake of energy-dense, nutrient-poor food and low levels of physical activity.⁽¹⁾ In the UK, many adolescents fail to meet Public Health England's recommendations for a healthy diet and physical activity levels. Only 8% of UK adolescents aged between 11-18 years eat five portions of fruit and vegetables a day,⁽²⁾ and only 15% of boys and 8% of girls, aged 13-15 years, carry-out one hour of moderate to vigorous activity per day.⁽³⁾ Adolescents are the parents of future generations. Thus, intervening during adolescence to improve diet and physical activity has the potential for triple benefit: to the adolescent in the here and now, to the future health of the adolescent, and to the health of the adolescent's future offspring.^(4, 5) Although this age group has been identified as a priority group for health improvement, few interventions aiming to improve adolescent diet and physical activity levels show long-term effectiveness.⁽⁶⁻⁹⁾

Adolescence is a period of dramatic physical and psychosocial change.⁽¹⁰⁾ Adolescents experience a desire for increased levels of autonomy over decisions in their life.⁽¹¹⁾ This newfound independence, coupled with increased exposure to factors outside of the family home, can lead to the participation in health-compromising behaviours.⁽⁵⁾ Nonetheless, parents still play an influential role in adolescents' day-to-day lives even though capacity for decision-making is increasing.

Health behaviour interventions targeting adolescents have been implemented using a number of different approaches with varying degrees of success.^(6-8, 12) It is argued that many of these health interventions are unsuccessful because they do not address adolescents' desire to feel respected, and fail to offer opportunities for adolescents to exercise autonomy over their health behaviours.^(9, 13, 14)

Evidence indicates that interventions targeting children and adolescents which also involve parents have the potential to be successful, but results have varied.^(7, 8, 15, 16) Parents have been incorporated into interventions using multiple 'indirect' and 'direct' strategies.⁽¹⁵⁾ Indirect parental engagement strategies have been more commonly used in intervention studies to date and often include delivering health information to parents via newsletters and web-platforms. Direct strategies have included parental attendance at educational and

coaching sessions. Studies including such direct strategies are limited and may be subject to bias, as such selection bias where more highly motivated parents participate.

The important role parents play in their adolescents' lives, if harnessed appropriately, could promote engagement with interventions outside of the immediate delivery setting.

However, there is no clear consensus on what type of parental involvement is most effective.⁽¹⁵⁾ In addition, little is known about parental views of the most acceptable ways of involving them in health interventions targeting their adolescents.

This study therefore adopted a qualitative approach to explore three research questions:

- 1) How do parents view their role in supporting their adolescents to eat healthily and be more physically active?
- 2) What factors influence the way in which parents choose to support their adolescents?
- 3) How can we help parents support their adolescents to make healthier choices?

Methods

Design

This exploratory qualitative study formed part of the developmental work for the Engaging Adolescents in CHanging Behaviour (EACH-B) study. The EACH-B study is a multi-component intervention aiming to support adolescents to engage in healthy diet and physical activity behaviours.⁽¹⁷⁾ The development of the EACH-B intervention was conducted using a Person Based Approach which adopts user-centred methods to design and refine interventions.

This involves in-depth qualitative interviews with stakeholders in order to ensure interventions are appropriate to the target population.⁽¹⁸⁾ Reporting of this study follows COnsolidated criteria for REporting Qualitative research (COREQ) recommendations.⁽¹⁹⁾

Study Participants

A convenience sample of parents, who had at least one adolescent attending secondary school, was recruited from those who were part of an email list following their adolescent's visit to LifeLab. Lifelab is an educational facility based at Southampton General Hospital, UK and is primarily attended by students from Hampshire based secondary schools between the ages of 11-18 years. Parents were sent an email explaining the details of the study. If

they were happy to participate, they were asked to reply to the study email. Those who agreed were later contacted by a member of the research team to discuss the details of the study and organise a suitable time for the interview. Parents were excluded if they did not speak English or if they did not have an adolescent aged 11-18 years who was attending secondary school. Prior to participating in the interviews, all parents provided informed written consent.

Setting

The study was conducted in 2018 in Southampton, a large city on the south coast of England, ranked the 67th most deprived of the 326 local authorities in England.⁽²⁰⁾ The interviews were conducted in locations that were convenient for the study participants, including places of work, home and over the telephone for the individual interviews. Group interviews were conducted at a hospital evening event for parents.

Procedure

Four women researchers were involved in the interviews; SS (PhD student and research assistant) and STS (Post-doctoral research fellow) conducted the interviews. SJ (MSc student and research assistant) and D. Watson (PhD student and research assistant) acted as observers in the interviews. All researchers received training in conducting qualitative interviews; SS and STS had previous experience of conducting qualitative research. The researchers were not known to the participants prior to correspondence about the study. Each participant completed a brief demographic questionnaire asking their age, gender, ethnicity and level of education. They were made aware that the research team was aiming to develop an intervention to improve diet and physical activity in adolescents. A semi-structured discussion guide was designed to explore parents' views of their adolescent's health and lifestyle, as well as factors which make it difficult for them to engage in healthy behaviours (Table 1). All interviews were audio-recorded and transcribed verbatim either by one of the authors (SJ) or by a professional transcription company.

Analysis

Interview recordings were analysed thematically using NVivo software (Version 12) (QSR International, version 12) to manage the data. Researchers familiarised themselves with the data by reading the interview transcripts and listening to the recordings. Inductive thematic

analysis was conducted following established guidelines.⁽²¹⁾ Three researchers (SS, SJ, SCS) worked independently to create initial codes in NVivo. After three transcripts were coded, the researchers met to discuss the similarities and differences between the codes. Codes were then organised into themes and sub-themes to create an initial coding frame. The coding frame was refined through coding of all transcripts (SS, SJ, SCS) until a sixth, final comprehensive coding frame was agreed (Figure 1). Themes and sub-themes were compiled together with verbatim quotations and agreed with senior members of the research team (STS, LM, WTL, MEB). This approach was conducted in line with a relativist ontological and subjective epistemic position, following the belief that reality is a matter of individual perspective and based on personal experience and insight.⁽²²⁾

Researchers agreed that data saturation had been reached when no new topics arose from the final transcripts. Appropriate transcript excerpts were selected and agreed on by the researchers in order to accurately represent the meaning of each theme and sub-theme. The relationships between the themes were discussed by the research team and visualised by creating a thematic map.

Results

A total of 24 parents participated in this study; 18 in individual interviews and six in two focus group discussions, each consisting of three participants. Each interview lasted approximately 20–45 minutes. Six individual interviews were conducted via telephone; all other interviews were conducted face-to-face. All participants were women. The majority (71%) were aged between 40-49 years and 96% identified as white (Table 2).

Six themes, consisting of multiple sub-themes, were identified by the analysis. Figure 1 shows the final coding frame which was used for the thematic analysis. Each theme is described alongside illustrative quotes from the interviews. Figure 2 shows the relationships between themes one to five and how they centre around the parents' sense of control.

Themes

My role in maintaining my adolescent's health

Parents described exerting authority over their households in several ways, including being in control of food preparation and rules for behaviour within the household.

202 *"I am the one who controls the meals I guess, in the sense that I cook them, I put*
203 *them on the table"- [Parent Group 1]*

204 Parents recognised that promoting independence and encouraging adolescents to make
205 some of their own choices is an important aspect of their parenting role.

206 *"More recently I try and give my daughter a bit more control over her food, not*
207 *because she's requested it but I guess this comes from a kind of teaching*
208 *background"- [Parent Interview 1]*

209 Even though parents viewed promoting independence in their adolescents as important,
210 they described a reluctance to step back fully from their traditional parental role. They
211 discussed ways in which they attempted to be attentive and supervise their adolescent
212 whilst trying not to be directly involved. This involved checking their homework and food
213 choices when out of the home using mobile apps and monitoring their social media use.

214 *"I try to police it, he's got like an Instagram account so I've set one up for me and I*
215 *can follow him, so I know what he's up to. He's got a Facebook account and again I'm*
216 *his friend on Facebook so again I can kind of see what he's up to"- [Parent Interview*
217 *2]*

218 Parents described themselves as role models to their adolescents but acknowledged they
219 did not always model healthy behaviours. They described modelling behaviours in relation
220 to their own actions as well as the actions of other parents.

221 *"If you've got inactive parents, your children aren't gonna be active"- [Parent*
222 *Interview 6]*

223 What I think about health

224 As depicted in Figure 2, parents recognised that their personal perspective of health
225 influenced how they viewed their role in promoting health in their adolescent. Many
226 parents discussed their own or family members' experiences of ill health and participation in
227 healthy behaviours. They also outlined the ways in which past experiences influenced their
228 current thoughts about health and leading a healthy lifestyle.

229 *"So health is quite a complex thing in our family. We've had, well I've had, particular*
230 *periods of extremely bad health, and so therefore being healthy has been something*

231 *that we all take quite seriously in an attempt to counteract that as much as we*
232 *possibly can.”- [Parent Interview 1]*

233 Parents described the importance of taking steps to ensure their families’ good health, but
234 also acknowledged that this is not always a priority for themselves or their adolescent.

235 *“What do you guys tend to do, to be healthy? - [Interviewer]*

236 *Honestly, we don’t do enough, we don’t do a lot.”- [Parent Group 2]*

237 *“I personally think it’s really important, but it’s not just about eating. I think it’s about*
238 *exercise as well, and doing them both.”- [Parent Interview 6]*

239 Parents described barriers to leading a healthy lifestyle and how these justified why healthy
240 habits are not enforced in the family setting.

241 *“You’ve also got to remember that, you know, some of them [other parents] are*

242 *living on a very, very tight budget. It is cheaper to buy convenience food. So much easier to buy a packe*

243 My adolescent wants...

244 Parents believed that an important factor in determining adolescents’ food choices was
245 convenience and accessibility. They saw their adolescents as wanting foods to be prepared
246 for them or for it to be very simple to prepare themselves. Parents believed that
247 adolescents would not go out of their way to make healthy food choices but are open to
248 healthy choices if they are available and convenient.

249 *“So, when he comes home from school, he definitely wants food. But he is happy for me to say t*

250 *Interview 13]*

251 Parents suggested adolescents were not motivated by health messages which are often
252 perceived as boring. They described their adolescents as being willing to participate in
253 healthy lifestyle behaviours as long as there was a reason for doing so that was not just
254 health.

255 *“In terms of sort of physical exercise, the dog has made a huge, huge difference to us as a family.*

256 *and we enjoyed the sunshine, we had time together and walked the dog”- [Parent*

257 *Interview 9]*

258 Parents emphasised that their adolescents would only engage with activities they enjoyed
259 rather than those they classed as boring.

260 *“They’ve gotta enjoy it. You’ve gotta find something they enjoy”– [Parent Interview*
261 *6]*

262 Parents recognised the pressure adolescents feel to be accepted and fit in with their peers,
263 and how this can negatively affect their diet and exercise choices.

264 *“Well my kids have said, and I can well believe this, that they do it to be with other*
265 *kids that are buying food. And they don’t want to feel left out, that they’re not doing*
266 *that kind of thing. So I think it’s peer pressure, to be going, to be getting that stuff.” -*
267 *[Parent Group 2]*

268 Conversely, friends and peers could also have a positive influence regarding being healthy
269 and active.

270 *“She’s got some friends who like running... I think parents have got them into cross*
271 *country club and running clubs, and so in their little group that’s acceptable, ‘cause*
272 *there’s some kids who do it. I just think it needs a couple of them to be brave and*
273 *they can then set the norm”- [Parent Interview 5]*

274 Parents believed that when adolescents had autonomy over their health decisions, they
275 made less healthy choices. They described their adolescent’s tendency to select unhealthy
276 foods when they were not around to guide these decisions.

277 *“When she first went to the senior school, I gave her money on her account ... she* *immediately*

278 Parents also believed that their adolescent needed prompting to be physically active.

279 *“If my son had the choice, he would much rather stay in front of a screen” – [Parent* *Group 1]*

280 Parents recognised the importance of adolescents having the right individuals to provide
281 support and encourage healthy behaviours. Parents specified that not everyone can fulfil
282 these roles and that these people need to be acceptable to their adolescents.

283 *“It [giving health advice] shouldn’t be done by someone at school. I mean it can be*
284 *done by someone in the school, but not by a teacher who they wouldn’t respect.”-*
285 *[Parent Interview 3]*

286 Things outside my control that affect my adolescent's health

287 Figure 2 illustrates that parents recognised a number of factors that they considered to be
288 outside their control that influenced what their adolescent wanted and how they viewed
289 their role in promoting adolescent health. Parents perceived that schools did not always
290 provide opportunities for their adolescents to participate in healthy behaviours but
291 appeared to feel there was nothing they could do about it.

292 *"She's doing food tech at school and has learned to make a few meals, none of them*
293 *particularly healthy, interestingly, you know chicken goujons, pizza, muffins, you*
294 *know they've all been those sorts of things. I think its quick food, because they have*
295 *such short lessons. They have to teach you know, it's not nutrition they're learning."* -
296 *[Parent Interview 1]*

297 Parents were aware that technology such as smartphones and video games are valued by
298 adolescents and felt that these got in the way of adolescents leading a healthy lifestyle.

299 *"Her activity levels are low, way too low. And for me, it's the phone. I have real, real*
300 *issues with the mobile phone. Huge issues"- [Parent Group 3]*

301 *"We had a complete break-down, because we were going on holiday and she was*
302 *not going to have internet. 'I've had a forty-day streak with somebody, I can't.'"-*
303 *[Parent Group 2]*

304 Negotiating Control

305 Parents discussed the changing dynamics of control between them and their adolescent,
306 resulting in a culture of compromise between the parent and adolescents which was
307 influenced by several factors inside and outside the home (Figure 2). Parents suggested that
308 their adolescent would ignore or rebel against strict household rules, so they would
309 sometimes relax or modify these in an attempt to maintain control and establish an
310 acceptable compromise.

311 *"If you're too strict with them about what they can eat, then they'll rebel."* - [Parent Group 2]

312 *"I've learnt that the more you badger, the worse it gets"- [Parent Interview 10]*

313 As adolescents gained exposure to factors outside of the family unit, there could be
314 increasing conflict between what is normal for the family and what is normal for others.

315 *"I parent differently, I struggle with that all the way, you know, 'my friends don't*
316 *have to...' Well, your friends don't live in this house."*- [Parent Interview 11]

317 Parents described changes in their adolescents' eating habits which can make mealtimes
318 challenging. To avoid conflict, they provided food they know will be acceptable even if this
319 means cooking less healthy meals.

320 *"I mean, there are times when he refuses things like pasta and rice... and sometimes I*
321 *end up giving him chips."* – [Parent Interview 13]

322 Parents also described the challenges of talking to their adolescent about health behaviours.

323 *"Your mum and dad saying, "Oh, this is what you ought to do," it's gonna be like, no.*
324 *I don't think they generally take very kindly... or a lot of them don't."*- [Parent
325 Interview 10]

326 *"I think the most important thing to us is just trying and keep talking with them and I guess as the*

327 Parents reported a reciprocal influence in their interactions with their adolescents. While
328 parents could encourage adolescents to eat healthier and be more active, they could also be
329 influenced by adolescents to pursue a healthier lifestyle themselves.

330 *"On the days when I haven't gone for a run, they go, "Oh, hang on a minute,*
331 *you're telling me to go, but you haven't been. Actually, we could do this together."*- [Parent Interview 12]

332 **What parents think could help support adolescent health**

333 Parents stated that their adolescents appreciated rewards and thought that this could be a
334 useful way to encourage engagement with healthy behaviours. Parents recognised that
335 technology was important to their adolescents and that finding ways in which it could be
336 used to benefit health was important.

337 *"My daughter's recently been doing virtual medals, where you run a 5K or something,*
338 *and then you claim your medal at the end of it, and it comes through the post."*-
339 [Parent Group 2]

340 Parents also highlighted that it was important to make participating in healthy behaviours
341 appealing to their adolescents.

342 *"It's got to be a reason to engage in it in some way... it needs to be something that isn't gonna*

343 *"I think for kids it needs to be really easy, and they need to be involved so much that they don't v*

344 When asked how they would like to be involved in health interventions, some parents
345 suggested that facilitating the link between the parent and the adolescent might help the
346 them find ways to support with healthy behaviour changes.

347 *"You could set the challenge of the child creating a weekly menu and you could have the parent s*

348 Others stated that difficulties might arise when trying to engage parents with this sort of
349 health intervention.

350 *"I think a lot of parents think they know things and they probably wouldn't bother attending s*

351 Some highlighted that finding ways to involve parents that were acceptable to their
352 adolescents might be challenging as they valued their privacy.

353 *"[Name]'s on Instagram but I've no idea what her site is 'cause that's all blocked and hidden from*

354 Discussion

355 This paper identified an overarching theme describing the changing dynamics between
356 parents and adolescents which concern shifting perceptions of control. This was at the
357 centre of how parents viewed their role in supporting their adolescents to eat healthily and
358 be physical active. Parents recognised that their role in supporting these behaviours was
359 reducing as their adolescents' autonomy and independence increased. Parents described
360 negotiations with their adolescents as playing a role in determining the healthiness of their
361 adolescents' food choices and activity levels. Parents found that their attempts to guide and
362 advise their adolescents were poorly received and often caused a breakdown in
363 communication.

364 Parents also recognised several external factors that presented barriers to healthy
365 behaviours in their adolescents and these also influenced how they viewed their role in
366 supporting healthy behaviours.

367 The parents we spoke to felt their adolescents lacked the ability to self-regulate their
368 behaviours and, if left to their own devices, would not be physically active and would
369 choose unhealthy food, especially in environments where such foods were readily available.
370 They also believed that, unless healthy behaviours were normalised in their households

from an early age, adolescents tended towards unhealthy behaviours such as eating foods high in fat, salt and sugar and low physical activity levels.

Parents recognised that interventions need to be appealing, to fit into their adolescents' lives, and certainly not be viewed as boring. They highlighted that interventions focusing solely on health were unlikely to engage adolescents. Parents also stated that interventions containing parental components needed to fit into their lives otherwise they risked being side-lined as they will not be viewed as a priority in parents' busy lives.

Comparisons with previous literature

In line with the 'negotiating control' theme identified in this study, previous qualitative research exploring parent and adolescent attitudes towards sugar-sweetened beverage consumption and screen time has described regular disagreements between parents and adolescents about everyday decisions that influence the behaviours of the family in the household.⁽²³⁾ This research recognised that any adolescent interventions must acknowledge this dynamic in order to be effective.⁽²³⁾ Other qualitative work has also described the view held by parents that controlling the home food environment is one of the most effective methods of promoting healthy food choices by their adolescents.^(23, 24) However, evidence suggests that this practice may vary by socio-economic status, a factor that was not explored in the current study.⁽²⁴⁾ A limitation of previous research is that it has only focused on specific dietary behaviours such as sugar-sweetened beverage consumption, while the current study focused on exploring parents' views of the more complex behaviour of overall food choice. Parents have also previously described a lack of control when it comes to countering the negative influence of peers on the health behaviours of their children and feeling lower levels of control over other household activities such as screen time.^(23, 25) Other authors have identified open communication between parents and adolescents as an important tool for effectively supporting weight management interventions for obese and overweight adolescent populations.^(25, 26) Parents in the current study recognised that communication with their adolescent was often difficult and "the more they badgered" their adolescent the less likely it was for their advice to be accepted. This suggests that training for parents in effective communication skills may be an important strategy to include in interventions for non-clinical, as well as clinical, populations. This is supported by

other qualitative research with parents and adolescents that also proposes positive communication styles to be the most effective in promoting healthy behaviours.⁽²³⁾

Implications for public health

Parents described the changing dynamics of their relationships with their adolescents as a major influence on how they provided support, with negotiations seeming to be part of everyday life. Branje describes these negotiations as a reorganisation of the parent-adolescent relationship from one that is vertical, with the parent in a position of power, to one that is horizontal, where power is more equally balanced.⁽²⁷⁾ As part of these negotiations, parents appeared to value their role in promoting independence in their adolescents, though doubted that their adolescents would participate in healthy behaviours if left to their own devices. Previous research highlights that approaches to enhance autonomy are more effective in promoting healthy eating in children and adolescents than more controlling strategies.⁽²⁸⁾

To date, the majority of parental components in adolescent health interventions have used indirect, but overt, methods to encourage healthy behaviours in adolescents. Such methods have focused on providing information to parents using newsletters, tip sheets and nutrition and physical activity information sheets.⁽¹⁵⁾ Parents who took part in this study felt that they had less control over their adolescents' food and physical activity choices than when they were children. These findings highlight the importance of how the information provided as part of these interventions is converted by parents into practical support for the adolescent, if at all. It is suggested that direct methods such as parent training and information sessions may be more effective than indirect methods.⁽¹⁵⁾ However, parents themselves felt that such direct methods might be an ineffective way to engage other parents in interventions due to life pressures restricting their ability to attend such meetings. Participants reported that other parents might feel their lives were too busy and that some might feel that they had nothing to learn.⁽¹⁵⁾

Some parents in this study described how health behaviours, such as home cooking and participating in physical activity, had become normal in their families, having been established and practised for many years. Many parents felt that adolescents were open to

432 eating healthy foods, at least at home, if they were convenient for the adolescent to access
433 and eat. However, most parents still recognised significant challenges when attempting to
434 encourage adolescents to consider swapping unhealthy behaviours for healthier choices. As
435 described in the sub-theme '*schools don't always provide healthy options*', parents viewed
436 the food options that were often available on school premises as unhealthy and thought
437 that adolescents would choose these options if they were available. Previous research has
438 shown that the majority of food high in fat, salt and sugar which adolescents eat is
439 consumed outside of the home.⁽²⁹⁾ Parents in this study perceived that they had very little
440 control over their adolescents food choices outside the home. Adolescents are bombarded
441 with advertising and promotions which promote unhealthy food choices in these
442 environments.⁽³⁰⁾ Public health interventions to encourage more healthful food
443 environments are likely to play a role in promoting healthy dietary choices in adolescents
444 when they are away from the home environment. Adolescent autonomy and sense of social
445 justice has previously been incorporated into an experimental study to highlight the role of
446 manipulative food marketing and promote healthier dietary choices.⁽³¹⁾ Future health
447 behaviour interventions may find incorporating similar techniques as a helpful way to raise
448 adolescents awareness of unhealthy food environments and support them to be more
449 critical of how environments shape their behaviours.

450 Future interventions should aim to equip parents with strategies to promote healthy
451 autonomous behaviours. One such strategy may include facilitating effective
452 communication between parents and adolescents.⁽³²⁾ Communication strategies which were
453 not forceful or pressuring have been found to be preferred by both parents and
454 adolescents.⁽³³⁾ This supports previous research which investigated the role of authoritarian
455 and authoritative parenting styles in relation to adolescent eating behaviours. An
456 authoritative parenting style, one that provides structured guidance and takes the views of
457 the adolescent into consideration, has been shown to be positively associated with
458 increased fruit and vegetable consumption and breakfast intake.⁽³⁴⁾ Qualitative research
459 shows that adolescents do not respond positively to authoritarian parenting styles,
460 characterised by strict enforcement of parental rules with little input from the adolescent,
461 as adolescents reported feeling urge to rebel by eating unhealthy foods if they felt they
462 were being lectured by their parents.⁽³⁵⁾ Parental communication that promotes autonomy

in adolescents aligns with adolescents' desire to feel respected and have the potential to increase the effectiveness of interventions.⁽⁹⁾ One potential way of empowering parents with effective communication strategies could be through the delivery of Healthy Conversation Skills training. Healthy Conversation Skills offers a set of accessible, theory-based skills focusing on listening, reflecting and goal-setting.^(36, 37) The use of such techniques may enable adolescents to feel that their views are being listened to, and feel more independent, while still allowing parents to guide their adolescents to identify their own health goals and explore ways of achieving them that they consider acceptable and feasible.^(36, 37) Training in these skills may be more enticing to parents, than information training about healthy lifestyle behaviours, as the focus can be placed on building and fostering relationships between parents and adolescents rather than only focusing on health. This training has not previously been provided to parents but has been shown to be effective in primary health care settings. Providing Healthy Conversation Skills training via a digital platform may be one way to overcome the need for face-to-face training with parents, which has been a barrier to intervention delivery in previous studies.⁽³⁸⁾

Strengths and Limitations

The qualitative interviews in this study have provided rich data on parental perspectives of adolescents' lives. This perspective has not often been considered when developing interventions that target adolescents. Despite the best efforts of the authors, it was not possible to recruit any fathers to participate in this study. This recruitment issue may be related to the increased parental involvement of mothers who often take on a traditional primary caregiver role within the family. The difficulty of recruiting fathers to participate in this type of research has been highlighted previously.^(39, 40) It is likely that fathers have a different perspective on their adolescents' lives, and the benefit of including them in future studies would be significant. Most participants in this study were white (representative of locality) and were educated to upper secondary school standard or above. Interviews with more diverse groups of parents may have produced different data. The interpretation of the qualitative data presented in this paper is only one possible interpretation and will have been influenced by the experiences and beliefs of the research team. In order to ensure the research findings from this study fairly represented the views of the interviewees, a rigorous

process was adopted that involved double-coding of data, with disagreements being resolved through team discussions. The final interpretation of the data was agreed by all team members after multiple discussions.

Conclusions

This study found that parents recognise and value the importance of promoting good health behaviours in their adolescents but find doing so difficult due to the increasing lack of influence they have over elements of their adolescents' lives. When designing adolescent health interventions that include parental components, researchers need to be aware of the disconnect between public health recommendations and the everyday reality for adolescents and their parents. This research may be useful to inform interventions which need to consider the transitions and negotiations which are common in homes containing adolescents. Future qualitative research using dyadic interviews, conducted with both parents and adolescents, may provide insight into the shared experiences of the changing levels of control in their lives and inform how, and when, to deliver a communication intervention. Researchers designing these health interventions need to recognise that a 'one size fits all' approach is unlikely to produce successful long-term health behaviour change.

511 References

- 512 1. Bates B, Cox L, Nicholson S *et al.* (2016) *National Diet and Nutrition Survey results from Years*
513 *5 and 6 (combined) of the Rolling Programme (2012/2013 – 2013/2014)*. London: PHE.
- 514 2. Public Health England (2018) *National Diet and Nutrition Survey Results from Years 7 and 8*
515 *(combined) of the Rolling Programme (2014/2015 to 2015/2016)*. London.
- 516 3. NHS Digital (2016) *Health Survey for England 2015 Physical Activity in Children*. London.
- 517 4. Barker M, Dombrowski SU, Colbourn T *et al.* (2018) Intervention strategies to improve
518 nutrition and health behaviours before conception. *The Lancet* 391, 1853-1864.
- 519 5. Patton GC, Sawyer SM, Santelli JS *et al.* (2016) Our future: a Lancet commission on
520 adolescent health and wellbeing. *The Lancet*, 387, 2423-2478.
- 521 6. Calvert S, Dempsey RC Povey R (2019) Delivering in-school interventions to improve dietary
522 behaviours amongst 11- to 16-year-olds: A systematic review. *Obesity Reviews* 20, 543-553.
- 523 7. Rose T, Barker M, Maria Jacob C *et al.* (2017) A Systematic Review of Digital Interventions for
524 Improving the Diet and Physical Activity Behaviors of Adolescents. *The Journal of adolescent*
525 *health : official publication of the Society for Adolescent Medicine* 61, 669-677.
- 526 8. Stice E, Shaw H Marti CN (2006) A meta-analytic review of obesity prevention programs for
527 children and adolescents: the skinny on interventions that work. *Psychol Bull* 132, 667-691.
- 528 9. Yeager DS, Dahl RE Dweck CS (2018) Why Interventions to Influence Adolescent Behavior
529 Often Fail but Could Succeed. *Perspectives on psychological science : a journal of the*
530 *Association for Psychological Science* 13, 101-122.
- 531 10. World Health Organization (2014) *Health for the World's Adolescents. A second chance in the*
532 *second decade*. Geneva.
- 533 11. Stangor C (2014) Adolescence: Developing Independence and Identity. In *Introduction to*
534 *Psychology*. Boston: FlatWorld.
- 535 12. Chen JL & Wilkosz ME (2014) Efficacy of technology-based interventions for obesity
536 prevention in adolescents: a systematic review. *Adolesc Health Med Ther* 5, 159-170.
- 537 13. Bassett R, Chapman GE Beagan BL (2008) Autonomy and control: the co-construction of
538 adolescent food choice. *Appetite* 50, 325-332.
- 539 14. Bryan CJ, Yeager DS, Hinojosa CP *et al.* (2016) Harnessing adolescent values to motivate
540 healthier eating. *Proceedings of the National Academy of Sciences* 113, 10830.
- 541 15. Hingle MD, O'Connor TM, Dave JM *et al.* (2010) Parental involvement in interventions to
542 improve child dietary intake: a systematic review. *Prev Med* 51, 103-111.
- 543 16. Van Lippevelde W, Verloigne M, De Bourdeaudhuij I *et al.* (2012) Does parental involvement
544 make a difference in school-based nutrition and physical activity interventions? A systematic
545 review of randomized controlled trials. *Int J Public Health* 57, 673-678.
- 546 17. ISRCTN Registry (2019) Engaging adolescents in changing behaviour: a programme of
547 research to improve the diets and physical activity levels of adolescents.
548 <https://doi.org/10.1186/ISRCTN74109264> (accessed 24/02/2020)
- 549 18. Yardley L, Morrison L, Bradbury K *et al.* (2015) The person-based approach to intervention
550 development: application to digital health-related behavior change interventions. *J Med*
551 *Internet Res* 17, e30.

- 552 19. Tong A, Sainsbury P, Craig J (2007) Consolidated criteria for reporting qualitative research
553 (COREQ): a 32-item checklist for interviews and focus groups. *International Journal for*
554 *Quality in Health Care* 19, 349-357.
- 555 20. Southampton City Council S (2015) *Index of Multiple Deprivation (2015) Analysis of overall*
556 *changes since 2010*.
- 557 21. Braun V & Clarke V (2006) Using thematic analysis in psychology. *Qualitative research in*
558 *psychology* 3, 77-101.
- 559 22. Braun V & Clarke V (2013) *Successful qualitative research. A practical guide for beginners*.
560 London: SAGE.
- 561 23. Hattersley LA, Shrewsbury VA, King LA *et al.* (2009) Adolescent-parent interactions and
562 attitudes around screen time and sugary drink consumption: a qualitative study. *The*
563 *international journal of behavioral nutrition and physical activity* 6, 61-61.
- 564 24. Roth-Yousey L, Chu YL, Reicks M (2012) A Qualitative Study to Explore How Parental
565 Expectations and Rules Influence Beverage Choices in Early Adolescence. *Journal of Nutrition*
566 *Education and Behavior* 44, 644-652.
- 567 25. Azar KMJ, Halley M, Lv N *et al.* (2020) Differing views regarding diet and physical activity:
568 adolescents versus parents' perspectives. *BMC pediatrics* 20, 137-137.
- 569 26. Hadley W, McCullough MB, Rancourt D *et al.* (2015) Shaking up the system: the role of
570 change in maternal-adolescent communication quality and adolescent weight loss. *Journal*
571 *of pediatric psychology* 40, 121-131.
- 572 27. Branje S (2018) Development of Parent–Adolescent Relationships: Conflict Interactions as a
573 Mechanism of Change. *Child Development Perspectives* 12, 171-176.
- 574 28. Baumrind D (2005) Patterns of parental authority and adolescent autonomy. *New Dir Child*
575 *Adolesc Dev*, 61-69.
- 576 29. Toumpakari Z, Haase AM, Johnson L (2016) Adolescents' non-core food intake: a description
577 of what, where and with whom adolescents consume non-core foods. *Public Health Nutr* 19,
578 1645-1653.
- 579 30. Truman E & Elliott C (2019) Identifying food marketing to teenagers: a scoping review.
580 *International Journal of Behavioral Nutrition and Physical Activity* 16, 67.
- 581 31. Bryan CJ, Yeager DS, Hinojosa CP (2019) A values-alignment intervention protects
582 adolescents from the effects of food marketing. *Nature human behaviour* 3, 596-603.
- 583 32. Tu AW, Watts AW, Chanoine JP *et al.* (2017) Does parental and adolescent participation in an
584 e-health lifestyle modification intervention improve weight outcomes? *BMC Public Health*
585 17, 352.
- 586 33. Shrewsbury VA, King LA, Hattersley LA *et al.* (2010) Adolescent-parent interactions and
587 communication preferences regarding body weight and weight management: a qualitative
588 study. *International Journal of Behavioral Nutrition and Physical Activity* 7, 16.
- 589 34. Sleddens EFC, Gerards S, Thijs C *et al.* (2011) General parenting, childhood overweight and
590 obesity-inducing behaviors: a review. *International Journal of Pediatric Obesity* 6, E12-E27.
- 591 35. Krølner R, Rasmussen M, Brug J *et al.* (2011) Determinants of fruit and vegetable
592 consumption among children and adolescents: A review of the literature. Part II: Qualitative
593 studies. *The International Journal of Behavioral Nutrition and Physical Activity*, 8.

594 36. Barker M, Baird J, Lawrence W *et al.* (2011) The Southampton Initiative for Health: a
595 complex intervention to improve the diets and increase the physical activity levels of women
596 from disadvantaged communities. *J Health Psychol* 16, 178-191.

597 37. Lawrence W, Black C, Tinati T *et al.* (2016) 'Making every contact count': Evaluation of the
598 impact of an intervention to train health and social care practitioners in skills to support
599 health behaviour change. *J Health Psychol* 21, 138-151.

600 38. Hammersley ML, Jones RA Okely AD (2016) Parent-Focused Childhood and Adolescent
601 Overweight and Obesity eHealth Interventions: A Systematic Review and Meta-Analysis. *J*
602 *Med Internet Res* 18, e203.

603 39. Davison KK, Gicevic S, Aftosmes-Tobio A *et al.* (2016) Fathers' Representation in
604 Observational Studies on Parenting and Childhood Obesity: A Systematic Review and
605 Content Analysis. *Am J Public Health* 106, e14-e21.

606 40. Panter-Brick C, Burgess A, Eggerman M *et al.* (2014) Practitioner review: Engaging fathers--
607 recommendations for a game change in parenting interventions based on a systematic
608 review of the global evidence. *J Child Psychol Psychiatry* 55, 1187-1212.

609

610

611 **Table 1: Interview Topic Guide**

Interview Topic	Interview Questions
Health	<p>What does it mean to you to be healthy?</p> <p>What kinds of things do you do to keep healthy?</p> <p>How often do you and your adolescent talk about health and what it means to be healthy?</p>
Parent Life	<p>What kinds of things do you do to keep healthy?</p>
Family Life	<p>What is a typical day like for your family?</p> <p>How does your family decide what to eat at home?</p> <p>What kinds of things do you do with your adolescent to keep healthy?</p> <p>What kinds of things do you encourage your adolescent to do to keep healthy?</p>
Your adolescent	<p>What kinds of things does your adolescent like to eat?</p> <p>What kinds of activities does your adolescent engage in?</p>
Barriers	<p>What kinds of things make it difficult to keep healthy?</p>
Support	<p>What things in your life have helped you eat well and be active?</p> <p>What kinds of things would help engage your adolescent in eating better?</p> <p>What kinds of things would help encourage your adolescent to be more active?</p>

612 **Table 2. Characteristics of the parents**

Characteristic	n (%)
<u>Age (years)</u>	
30-39	2 (8)
40-49	17 (71)
50-59	5 (21)
<u>Gender</u>	
Women	24 (100)
Men	0 (0)
<u>Ethnicity</u>	
White	23 (96)
Arabic	1 (4)
<u>Highest Qualification</u>	
Lower secondary education or below (GCSE)	2 (8)
Upper secondary education (A-levels or equivalent)	7 (29)
Post-secondary education (Higher National Diploma or equivalent)	2 (8)
Bachelor's degree or above	10 (42)
Other	3 (13)

613
614
615
616
617
618
619
620
621
622
623
624

625 **Figure 1: Coding frame used for thematic analysis**

626

627

Figure 2: Thematic map showing parents' perspectives of their role in supporting adolescent health